Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(("056597I") or ("0656491")).PN.	USPAT	OR	OFF	2005/10/06 15:31
L2	1	(("565976") or ("5649176")).PN.	USPAT	OR	OFF	2005/10/06 15:32
L3	0	("565976").PN.	USPAT	OR	OFF	2005/10/06 15:34
L4	20	selvidge-$.in.	USPAT	OR	OFF	2005/10/06 15:34
L5	15	("4450560" | "4697241" | "5513338" | "5572710").PN. OR ("6009531").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 15:40
L6	30	("4495590" | "4718063" | "4926423" | "5111455" | "5136188" | "5144166" | "5231636" | "5317210" | "5371422" | "5402014" | "5526360" | "5561773" | "5583450" | "5621650" | "5659716" | "5671432" | "5717695").PN. OR ("5847578"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 16:39
L7	1	("6947882").PN.	USPAT	OR	OFF	2005/10/06 16:39
L8	15	("4642487" | "4758985" | "5036473" | "5363319" | "5574388" | "5596742" | "5649176" | "5659716" | "5701441" | "5761484" | "5777489" | "5847578" | "5854752" | "5920712" | "5960191").PN. OR ("6947882"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/06 17:16
L9	1846	(time-divi$4 or time-multiple$4 or (time adj1 divi$4) or (time adj1 multiplex$4) or multi-clock$2 or (multiple adj1 clock$2)) and (crossbar or cross-bar or switch-matrix or (switch adj1 matrix) or (programmable NEAR1 interconnect$4) or (reconfigur$4 NEAR1 rout$4)) and (input/output or i/o or (input NEAR1 output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 17:35
L10	1106	9 and (programmable or reconfigurable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 17:35
L11	420	10 and ((programmable adj1 logic) or pld or fpga)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 17:39

L12	80	11 and ((different NEAR1 clock) or (different NEAR1 frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 17:40